FINAL REPORT

Industry Trials of a Modified Sea Scallop Dredge to Minimize the Catch of Sea Turtles

Award Number: PO# EA 133F-03-SE-0235 Submitted to:

National Marine Fisheries Service Northeast Fisheries Science Center 166 Water Street Woods Hole, Massachusetts 02543-1026

Award Number: NA03NMF4540344
Submitted to:

National Marine Fisheries Service
Northeast Regional Office
One Blackburn Drive
Gloucester, Massachusetts 01930-2298

Submitted by:

William D. DuPaul
David B. Rudders
Virginia Institute of Marine Science
College of William and Mary
Gloucester Point, Virginia 23062

and

Ronald J. Smolowitz
Coonamessett Farm
277 Hatchville Road
East Falmouth, Massachusetts 02536

VIMS Marine Resource Report No. 2004-12

November 2004



Final Report

Industry Trials of a Modified Sea Scallop Dredge to Minimize the Catch of Sea Turtles

Introduction

Prior to 2000, there was very little concern that there was an interaction between scallop dredge gear and sea turtles. During the summer of 2000 scallop captains started to report to their technical advisors that they were observing sea turtles where they had rarely, if ever, seen them before and that some were coming up in the scallop dredges. Inquiries to National Marine Fisheries Service (NMFS) from industry discovered two key facts; loggerhead turtle populations may be on the increase and that there were few documented takes in scallop dredges (Table 1).

During 2001, the NMFS observers recorded 11 encounters between sea scallop vessels and sea turtles in the mid-Atlantic (5,286 observed hauls). The observed take, when expanded to overall fleet effort, provided an estimate of 95 turtles taken. In comparison, high observer coverage in recent years on Georges Bank has not record any turtle interactions. In 2002, over 20 turtle takes were reported for 72 observed trips into the Hudson Canyon Closed Area. In 2003 similar take rates were observed in other areas of the mid-Atlantic as well.

Clearly, turtles and scallop dredges were starting to have interactions. The uncertainty was how and why. Sea sampling reports that had been made public indicated that the turtles had been found wedged into forward parts of the dredge frame or in the bag where they may have been damaged by the dredge frame when the catch was dumped on deck. In addition, the turtle takes were being observed in a very limited geographical area when compared to the range of the sea scallop fishery. There were many theories of whether the interactions were occurring in the water column, on the bottom when the dredge was fishing or when the dredges were flared on the side of the vessel prior to setting.

A meeting was held at Coonamessett Farm on June 11, 2002 between NMFS, NEFMC, VIMS, and scallop industry technical advisors. After much discussion, there was general consensus on the following actions:

- (1) To produce a wheel house card to advise fishermen how to avoid interactions and how to respond to a take. Subsequently, the scallop industry and VIMS, with advice from NMFS, produced the card and distributed it to the fleet (Appendix 1).
- (2) To begin experimental testing of turtle excluder gear.
- (3) To use video camera gear to examine the behavior of turtles in association with scallop dredges.

(4) To enhance training of NMFS observers to gain better quality data.

The development of concepts to minimize turtle interactions with sea scallop dredges had begun as soon as the scallop industry's technical advisors heard of the potential problem in 2001. The industry recognized that if a gear solution was not found to reduce the take rate; the mid-Atlantic might have to be closed from May through October, redirecting a large amount of scalloping onto Georges Bank and Gulf of Maine. This shift in effort would have impacts on groundfish rebuilding and thus risked further limiting of scallop fishing.

Methods to Deal with Interactions:

There are three general methodologies for reducing bycatch related mortality. They are (a) separate fishing activity in time and space from the species of concern, (b) exclude the species from the gear, and (c) if caught, release the species alive by proper handling. One or more of these approaches have been applied to reducing bycatch mortalities of fish, birds, marine mammals, and turtles.

In regards to the first approach, separation, there is very little data on the actual geographic location of the turtles in real-time and little understanding of their bottom foraging capabilities on sea scallop grounds (temperature and turtle species behavior are key). Some turtles continue to migrate through our area as the season progresses; others seem to remain in one area for the season. These factors indicate that to maintain scallop fleet/turtle separation would require a fast action notification system with full participation of the scallop fleet/observers. This is costly as a regulatory system and would be a least preferred approach.

The second method, exclusion, may be the easiest to achieve. Exclusion can be achieved by gear design and operating practice; the latter near impossible to regulate but can be very effective if implemented by industry.

Gear design modifications to the scallop dredge may be the best approach. Recent efforts to exclude flatfish and skates have shown significant results and possibly some of the modifications may work for turtles as well. The addition of excluder ring panels would prevent turtles from getting caught up in the dredge frame. Reports had indicated that some turtles were hauled up on top of the gear. Many were seen to swim away when the gear reaches the vessel. This may imply that the turtles are getting snagged on the gear, either the frame or the twine top, and being prevented from escaping either by being wedged, entangled, or held by the flow of water. Stopping the dredge/vessel before hauling back is a simple operational change that may eliminate some of the potential takes. Placing bars or rings between the depressor plate and bale may prevent any wedging of turtles in the frame.

A particular gear modification that the industry thought would work was to increase the number of up and down chains between the sweep, ticklers, and dredge

frame. This has the effect of preventing the bag from draping below the frame during hauling and setting; an opportune time to catch anything big in the water column.

The third methodology, handling the turtles that are taken onboard to avoid injury, can also be easily achieved on a scallop vessel. During the season and area when turtles are present, after the dredge gets to the block and in the air, the crewmen would be instructed to observe if there is a turtle before dumping the dredge on deck. If there is a turtle the captain and crew use the other side's tackle to bring the bale over to the other side of the boat and use that side's tackle on the club stick to gentle dump the contents of the bag without ever dropping the dredge or bag on deck. This or a similar protocol would prevent the crushing of turtles when the catch is dumped on deck. The wheelhouse card was used as an educational tool to accomplish this task.

It had become evident that sea turtles could be caught by the scallop dredge in two different gear interaction scenarios. Firstly, sea turtles could be retained in the bag of the dredge and brought on board the vessel. Secondly, sea turtles could be retained/trapped on the outside top part of the dredge either on the bale, on the top part of the bag near the twine top, or trapped between the depressor plate and the cutting bar support struts. Most of the reports that were gathered from fishermen indicated that the most common interaction resulted in the turtle being retained in the scallop bag. In addition, many severe injuries to the sea turtles were caused when the dredge bag was dumped on deck.

For this study it was decided to implement a single gear change in an attempt to reduce the interactions with sea turtles. It is very difficult and impractical to implement two gear changes without understanding the implications of a single gear change.

Chain Design:

Industry and VIMS decided to work together on the development of turtle chains to keep turtles from entering the dredge bag as a first step in dredge modification. The following initial design criteria was developed:

- prevent turtles of >24" from entering dredge bag (6 ticklers by 11 or 13 up and downs)
- decrease the size and weight of the chains to keep impacts low
- increase chain hardness (grade) to minimize wear and stretching
- place tickler chains on top of up and down chains (allows gear to slide rather than dig)
- rubber cookies at each shackle to prevent wear
- minimize bottom impacts by keeping gear light

The scientists calculated that an arrangement of six ticklers and eleven up and downs on a fifteen foot wide dredge would require 200 feet of chain. Even with this quantity of chain there would be as much as a 32 inch diagonal between connection

points if the chains were hung in the typical rock chain fashion; draped from the sweep. The solution was to run the ticklers straight across attaching the ends to the main sweep chain. The function of the ticklers in this application is to maintain the spacing of the up and downs. The initial design was that the ticklers would be on top and thus would minimize the tendency to dig.

The following was the suggested chain grade and size:

Up and downs: Grade: 70 Size: 5/16" Load limit: 4700 lbs. Ticklers: Grade: 70 Size: 3/8" Load limit: 6600 lbs.

Note: Grade 30 5/8" chain, common for ticklers, has a load limit of 6900

lbs.

2002 Field Trials:

In 2002, the NMFS provided limited funding to construct and test the turtle chains as a precursor to a scientific study. Five sea scallop vessels volunteered to participate in taking the turtle chains to sea for preliminary evaluation. Each vessel fished one side with and one side without the turtle chains. The higher powered vessels had higher catches with the chains; the lower powered vessels felt they has a reduced scallop catch using the chains. During the trials there were two turtle interactions. In one case the turtle was captured in the bag of the dredge without the chains. In the other case, the turtle was seen "hanging onto the chain mat when the dredge surfaced...then it swam away." The captain felt certain that the turtle would have been captured by the dredge if not for the chain mat.

The preliminary trials were very promising and the decision was made to submit an application for scallop TAC set aside to conduct a full scale scientific experiment. This report contains the preliminary results of the TAC project.

2003-04 Field Trials:

The gear trials for the turtle excluder chain dredge modifications were made possible through funding from two grants. The first was a grant made available through the NMFS Sea Scallop Research TAC Set-Aside program. This grant allowed participating vessels to recover some of the costs associated with using the turtle chains by receiving extra TAC while fishing in the Hudson Canyon Closed Area. It also provided funds to cover the cost of the research conducted by the Virginia Institute of Marine Science (VIMS) and Coonamessett Farm. In addition, one trip was designated as a Research Camera Cruise where underwater video was made of the modified dredge during normal fishing operations.

The Research TAC Set-Aside was augmented with a contract from NMFS, Northeast Fisheries Science Center (NEFSC) to provide trained observers for the participating fishing vessels. The objective of this contract was to ensure that trained scientific data collectors documented both the bycatch of turtles as well as the catch of scallops and other finfish species in order to adequately determine the effectiveness of the gear modification. VIMS undertook the training of the observers by providing a full day of sea turtle biology, identification and necropsy. In addition, all observers received extensive fishing vessel safety training in accordance with the curriculum set forth by the Alaskan Marine Safety Education Association.

The experimental design for this study was straightforward. Only one of the vessel's two dredges were modified with the addition of turtle chains. The turtle chains are basically a modified rock chain arrangement constructed of lighter, but stronger chain. The vessels used 3/8" hardened steel chain in an arrangement to cover the opening of the dredge. For 14' and 15' dredges, 11 up and downs and six ticklers were used; for smaller dredges, 9 up and downs were used. Please see attached materials for a full description of the turtle chain and a photograph. Statistical analyses were conducted on the comparative catches of both sea turtles and sea scallops. A paired t-test at the alpha=0.05 level was used to test for significance in catches between the dredge equipped with turtle chains and the control dredge (no chains).

Gear trials began on July 17, 2003 and were completed on October 9, 2004. In total, a series of 22 experimental fishing trips were carried out with a total of 277 days and 3,248 observed tows. Tables 2 and 3 provide a complete summary of the trips. During the study, a total of eight turtle interactions were observed, all of them with the unmodified scallop dredge. Sea turtle catches were significantly lower (p <0.01) in the modified dredge. The location and disposition of the sea turtles captured is listed in Table 4 and Figure 1. Seven of the eight captured turtles were loggerhead turtles, with the remaining turtle identified as a leatherback. Of the eight, three escaped uninjured and three were released with injuries sustained during capture or during the emptying of the dredge or when the dredge was brought onboard. One of the animals was killed when the dredge frame fell on the turtle and one was brought on board dead. In cases where the turtles were landed on the vessel, photographs were taken. Turtle measurements and vital statistics were recorded on a "turtle stranding form."

Scallop catches were highly variable from vessel to vessel and trip to trip (Table 5). On average, scallop losses averaged 6.76% less and the loss was statistically significant (p <0.001). It is assumed that as vessel captains become more familiar with rigging the turtle chains, catch rates will become less variable and more consistent with the dredges without the modification. Finfish and invertebrate bycatch was also recorded and is shown in Table 6.

Figures 2-8 portray the vessel tow track during which a turtle interaction occurred. Also portrayed are the tracks of tows made prior to the turtle interaction. If turtle interactions are more common when one or several vessels concentrate fishing activities in a particular area, it may be helpful to examine the towing patterns of the vessels. In several cases, turtle interactions during this study occurred when the vessels were fishing in a relatively small area. It would be helpful to overlay the fishing activity of other vessels operating in the same area and at the same time. An important question

to be answered relates to the possibility that scallop vessels may be attracting the turtles to areas where fishing operations are concentrated.

In attempting to separate sea scallop fishing activities from areas where sea turtles are known to exist may be complicated by unknown factors. It is quite possible that the feeding behavior of sea turtles may be quite different in areas where there is no scallop fishing effort when compared to areas where several or many scallop vessels are conducting fishing operations. Sea turtles may be foraging on scallop viscera discarded by scallop vessels similar to schools of yellowfin and bluefin tuna. This phenomenon of aggregate feeding behavior may be further enhanced by the fact that concentrations of fishing vessels tend to stay in one location for extended periods of time as a result of area management strategies.

Summary:

In response to increasing numbers of sea turtle interactions observed by the sea scallop industry and subsequently corroborated by NMFS observers, a series of 22 experimental cruises were carried out during the summer and early fall of 2003 and the summer and early fall of 2004 on the continental shelf waters of the mid-Atlantic Bight. The objective of the cruises was to examine the efficacy of a modified commercial sea scallop dredge designed to reduce the bycatch of sea turtles in the sea scallop fishery. The modification consisted of a chain mat spanning the opening of the dredge mouth. The performance of the experimental gear was assessed by comparing a modified dredge fished simultaneously with an unmodified dredge. Results indicate that the modification was successful in eliminating the bycatch of turtles with relatively small reductions in the catch of the target species. A total of 3,248 tows in 277 days at sea were observed during the trials with eight sea turtles captured in the unmodified dredge and none captured in the modified dredge. Of the tows that were sampled by the observers, the modified dredge captured significantly (p<0.001) less scallops relative to the unmodified dredge. On a percentage basis, the modified dredge captured 6.71% less scallops than the unmodified dredge. It is anticipated, however, that the difference in sea scallop catches will decrease over time as industry becomes more familiar with the use of the chain configuration. These cruises demonstrated that a simple modification to the standard sea scallop dredge can be effective in eliminating the incidence of sea turtle bycatch without substantial concomitant reductions in the capture of the target species.

Ancillary Activities:

The Fisheries Survival Fund and the Virginia Sea Grant Marine Advisory Program at VIMS produced two placards designed to instruct captains and crew about sea turtle interactions. Both of the placards are included as additional information to this interim report. As of May 20, 2004, over 300 of the placards designed to show the construction of the turtle chains have been distributed to vessel captains and owners. Industry has taken the proactive action of installing turtle chain dredge modification on vessels fishing in the mid-Atlantic.

Figure 1 Locations of turtle takes observed during the 2003-04 gear trials




Table 1 Reports of Sea Turtle/Scallop Gear Interactions 1996-1999. Source: NMFS

Hom	Home	Trip	Haul	Location	Depth in fathoms	Bottom Type	Species	Characterization of Take
	Newport News, VA	A41022	213	36° 54 N 74°52 W	24-68	rocky	loggerhead	Live loggerhead caught on bar of starboard dredge. Washed off as dredge broke surface. Animal did not appear to be injured. Estimated length of 60 cm.
1	Barnegate Light, NJ	A24038	71	39°57 N 73°33 W	18-20	sand	green	Live green caught in forward portion of dredge and released with crowbar. Turtle sustained a crack in the carapace across the upper right lateral scutes. Animal released alive
	Cape May, NJ	B38017	30	40°06 N 73°47 W	15-18	sand	unknown	injured. Estimated length 70 cm. Turtle brought on board alive with a cracked carapace, possibly from rocks in the dredge. Released alive injured. Curved carapace length 106 cm.
09/15/1999	Cape May, NJ	B38017	69	40°13 N 73°46 W	16-18	sand	unknown	Severely decomposed small turtle entangled in old gillnet brought up in dredge. No measurements. Clearly not associated with dredge activity.

<u>Table 2</u> Information for turtle excluder chain project. Cruises included represent both comparative and compensation trips A * denotes tow logs maintained by captain/mate. A ** denotes turtle excluder chains not used on that cruise.

																sluded*						*lnded*						
	Observer	David Rudders	John Walters	Vince Saba	Chip Cotton	Chris Hager	Andrew Walker	David Rudders	Wolf Lange	Bill DuPaul	no observer coverage*	Todd Gedamke	Andrew Walker	Andrew Walker	Andrew Taylor	not part of program, but data included*	Andrew Taylor	no observer coverage**	no observer coverage**	no observer coverage**	no observer coverage**	not part of program, but data included*	Chris Hager	Bill DuPaul	Andrew Walker	no observer coverage*	no observer coverage*	
# of	tows	125	220	125	154	169	101	168	210	93	142	181	151	173	230	107	223	ı	1	ï	1	147	61	107	78	153	130	3,248
Trip	Length	11	15	14	13	12	14	13	14	6	16	13	12	13	21	8	20			E		11	6	10	8	13	∞	277
Date	Returned	7/21/2003	7/31/2003	8/10/2003	8/12/2003	8/16/2003	8/28/2003	9/5/2003	9/8/2003	9/4/2003	9/25/2003	9/18/2003	10/1/2003	10/21/2003	10/16/2003	10/6/2003	11/12/2003	11/28/2003	12/22/2003	11/29/2003	11/2/2004	10/27/2004	6/30/2004	7/16/2004	7/19/2004	8/28/2004	10/9/2004	
Date	Departed	7/11/2003	7/17/2003	7/28/2003	7/31/2003	8/5/2003	8/15/2003	8/24/2003	8/26/2003	8/27/2003	9/10/2003	9/6/2003	9/20/2003	10/9/2003	9/26/2003	9/28/2003	10/24/2003	11/4/2003	12/2/2003	11/15/2003	12/3/2003	10/16/2004	6/22/2004	7/7/2004	7/12/2004	8/16/2004	10/1/2004	
	Type of Trip	Open Area	Open Area	Open Area	Open Area	Open Area	Open Area	Open Area	Open Area	Camera Cruise	Camera Cruise-comp	Closed Area	Closed Area	Closed Area	Closed Area	Closed Area	Closed Area	Closed Area-comp	Closed Area-comp	Closed Area-comp	Closed Area-comp	Closed Area	Closed Area	Closed Area	Open Area	Open Area	Open Area	
	Vessel	Capt. Billy Haver	Wilma & Irene	Bay Star III	Capt. Billy Haver	Janice Lynell	Bay Star III	Capt. Billy Haver	Janice Lynell	Westport	Westport	Celtic	Kayla Rose	Kayla Rose	O'Neal's Pride	Pursuit	Capt. Billy Haver	Relentless	Crystal&Rebecca	Bay Star II	Capt. Billy Haver	Celtic	Defiant	Celtic	Relentless	Bay Star III	Defiant	
	Trip	_		3	4	5	9	7	∞	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	56	Total

<u>Table 3</u> Comparison of sea turtle bycatch between one dredge equipped with turtle excluder chains and one without the chain configuration on observed trips during 2003 and 2004.

							Turtle Interactions	ractions
47			Date	Date	Trip	# of	Unmodified	Modified
Vessel		Company	Departed	Returned	Length	tows	Dredge	Dredge
Capt. Billy Haver	Haver	Captain Juan Inc.	7/11/2003	7/21/2003	11	125	1	0
Wilma & Irene	rene	Peabody	7/17/2003	7/31/2003	15	220	0	0
Bay Star III	I	Ches. Bay Packing	7/28/2003	8/10/2003	14	125	0	0
Capt. Billy Haver	Haver	Captain Juan Inc.	7/31/2003	8/12/2003	13	154	0	0
Janice Lynell	ell	Peabody	8/5/2003	8/16/2003	12	169	2	0
Bay Star III	11	Ches. Bay Packing	8/15/2003	8/28/2003	14	101	0	0
Capt. Billy Haver	/ Haver	Captain Juan Inc.	8/24/2003	9/5/2003	13	168	0	0
Janice Lynell	iell	Peabody	8/26/2003	9/8/2003	14	210	_	0
Westport		Westport Scalloping Co.	8/27/2003	9/4/2003	6	93	2	0
Westport		Westport Scalloping Co.	9/10/2003	9/25/2003	16	142	0	0
Celtic		Quinn Fisheries	9/6/2003	9/18/2003	13	181	0	0
Kayla Rose	ě	A J Scalloping, Inc.	9/20/2003	10/1/2003	12	151	0	0
Kayla Rose	ě	A J Scalloping, Inc.	10/9/2003	10/21/2003	13	173	0	0
O'Neal's Pride	ride	Denny O'Neal	9/26/2003	10/16/2003	21	230	0	0
Pursuit		Eastern Fisheries	9/28/2003	10/6/2003	∞	107	1	0
Capt. Billy Haver	/ Haver	Captain Juan Inc.	10/24/2003	11/12/2003	20	223	0	0
Celtic		Quinn Fisheries	10/16/2003	10/27/2003	11	147	0	0
Defiant		Wells Scallop Company	6/22/2004	6/30/2004	6	61	0	0
Celtic		Quinn Fisheries	7/7/2004	7/16/2004	10	107	0	0
Relentless		Wells Scallop Company	7/12/2004	7/19/2004	00	78	0	0
Bay Star III	п	Ches. Bay Packing	8/16/2004	8/28/2004	13	153	0	0
Defiant		Wells Scallop Company	10/1/2004	10/9/2004	∞	130	-	0
					277	3,248	∞	0

<u>Table 4</u> Detailed information concerning sea turtle interactions during the experimental cruises comparing an unmodified dredge to one equipped with turtle excluder chains. Coordinates are in decimal degrees, depth is in fathoms and dredge size is in feet.


					Closed		Tow	Time	Towir	Towing		
Take	Take Vessel	Date Lat. Long.	Lat.	Long.	10 30	Depth	(hrs.)	Depth (hrs.) of day size	size		Species	Disposition
1	Capt. Billy Haver 7/15/03 37.84 74.68	. 7/15/03	37.84	74.68	no	24	1.33	1.33 19:45 11	11	4.0	Loggerhead Dead	Dead
2	Janice Lynell	8/6/03	37.30 74.74	74.74	no	28	1.30	8:03	15	4.3	Loggerhead	Loggerhead Alive Released Injured
ю	Janice Lynell	8/13/03 37.40 74.83	37.40	74.83	ou	27	1.17	20:02 15	15	4.3	Loggerhead	Loggerhead Alive Released Injured
4	Westport	9/1/03	38.92 73.54	73.54	yes	27	1.03	12:30 15	15	4.0	Loggerhead	Loggerhead Alive Released Injured
ς.	Westport	9/1/03	38.99 73.49	73.49	yes	27	1.15	16:01 15	15	4.0	Loggerhead	Loggerhead Alive Escaped Uninjured
9	Janice Lynell	9/3/03	38.148	38.148 74.449 no	no	23	1.18	11:58 15	15	4.3	Loggerhead Dead	Dead
7	Pursuit	10/1/03 38.90 73.37	38.90	73.37	yes	34	1.82	19:45 14	14	5.0	Loggerhead	Loggerhead Alive Escaped Uninjured
∞	Defiant	10/2/04 37.36 74.74	37.36	74.74	no	30	1.16	22:42 14	14	4.1	Leatherback	Leatherback Alive Released Uninjured


without the chain configuration. Scallop catch is from sampled tows on observed trips. Percent difference represents the Table 5 Comparison of sea scallop catch (in baskets) between one dredge equipped with turtle excluder chains and one difference in catch between the two dredges relative to the catch of the unmodified dredge.


							Sc	Scallop Catch		
		Date	Date	Trip	# of tows	# of tows				
Trip	Trip Vessel	Departed	Returned	Length	on trip	sampled	Experimental	Control	% Diff	
_	Capt. Billy Haver	7/11/2003	7/21/2003	11	125	45	444.00	469.25	-5.38	
7	Wilma & Irene	7/17/2003	7/31/2003	15	220	54	303.25	387.00	-21.64	
3	Bay Star III	7/28/2003	8/10/2003	14	125	50	619.00	744.00	-16.80	
4	Capt. Billy Haver	7/31/2003	8/12/2003	13	154	61	567.00	08.609	-7.02	
2	Janice Lynell	8/5/2003	8/16/2003	12	169	57	456.50	450.66	1.30	
9	Bay Star III	8/15/2003	8/28/2003	14	101	77	2,342.00	2,387.00	-1.89	
7	Capt. Billy Haver	8/24/2003	9/5/2003	13	168	54	434.98	487.25	-10.73	
∞	Janice Lynell	8/26/2003	9/8/2003	14	210	70	553.75	565.50	-2.08	
6	Westport	8/27/2003	9/4/2003	6	93	17	191.75	194.75	-1.54	
10	Celtic	9/6/2003	9/18/2003	13	181	66	892.00	879.05	1.47	
11	Kayla Rose	9/20/2003	10/1/2003	12	151	89	930.00	885.00	5.08	
12	Kayla Rose	10/9/2003	10/21/2003	13	173	75	898.00	873.00	2.86	
13	O'Neal's Pride	9/26/2003	10/16/2003	21	230	82	538.90	779.75	-30.88	
14	Pursuit	9/28/2003	10/6/2003	6	107	23	306.50	355.50	-13.78	
15	Celtic	10/16/2003	10/27/2003	1	147	15	179.00	178.25	0.42	
16	Capt. Billy Haver	10/24/2003	11/12/2003	20	223	70	704.00	898.00	-21.60	
17	Defiant	6/22/2004	6/30/2004	6	61	12	208.50	216.50	-3.69	
18	Celtic	7/7/2004	7/16/2004	10	107	14	187.75	175.00	7.28	
19	Relentless	7/12/2004	7/19/2004	∞	78	39	356.00	377.50	-5.69	
Total	7			241	2,823	982	11,112.88	11,912.76	-6.71	


<u>Table 6</u> Finfish and invertebrate bycatch encountered during the testing of turtle excluder chain trials. Control indicates catch from dredge without chains. Experimental indicates catch from dredge equipped with excluder chains. Totals were calculated from 882 comparative tows.


	Experimental Control	Control
Spiny Dogfish	16	11
Unclassified Skates	25111	24726
Clearnose Skates	91	95
Silver Hake	18	35
Red Hake	509	477
Spotted Hake	588	589
Summer Flounder	144	165
Fourspot Flounder	1210	1504
Blackback Flounder	57	44
Grey Sole	71	19
Windowpane Flounder	354	300
Black Sea Bass	30	22
Northern Searobin	12	12
Armored Searobin	157	183
Monkfish	3854	3341
Unclassified Crabs	19	37

















APPENDIX

Laminated Placards:

1. Wheelhouse Card: Turtle Interactions

"Sea Turtles & You: Avoiding Interactions"

2. Wheelhouse Card: Turtle Chains

"Rigging of Turtle Chains"

3. Turtle Interaction Reports

Turtle Takes 1-6

Sea Turtles & You: Avoiding Interactions



It is the responsibility of each and every fishing vessel captain to avoid the capture and injury of sea turtles, which are protected under the Endangered Species Act. You can take practical measures to reduce sea turtle interactions and reduce mortality of those accidentally caught in scallop dredge gear. By working together to avoid taking turtles, we can prevent restrictive government regulations.

Sea Turtle Protection Guidelines:

- Follow these procedures when turtles are present in your operating area:
 - Do not set dredges if you see turtles in your wake; relocate to another area.
 - Alert other scallop vessels to the presence of turtles.
 - Do not steam or jog with the dredge frame in the water.
 - ☐ Stop the dredge on the way up for 30 seconds at the 10-fathom mark.
 - Observe the dredge when it comes alongside and carefully check for turtles.
 - olf a turtle is in or on the dredge, handle gear carefully to avoid injury while dumping.

If You Catch a Turtle:

- Sea turtles that are actively moving or dead must be released with engines out of gear.
- Turtles taken must not be consumed, sold, landed, or kept below deck.
- A turtle is only considered to be dead if its muscles are stiff (rigor mortis) or the flesh is rotting. All other inactive turtles are considered to be comatose.
- Sea turtles that are comatose or inactive must be resuscitated before release:
 - Delace turtle on its bottom shell right side up, and elevate hindquarters at least 6 in.
 - □ Periodically rock the turtle gently by lifting each side of the shell, in turn, at least 3 in.
 - $_{\Box}$ Gently touch the eye and pinch the tail periodically to see if there is a response.
 - □ Sea turtles being resuscitated must be shaded and kept wet using damp cloths.
 - □ Continue resuscitation attempts for at least 4 hours and preferably, 24 hours.
- . If an observer is onboard, make sure accurate and detailed information is recorded.

Remember, comatose turtles returned to the sea will drown!

Resuscitation is a must!

Share other ideas on ways to avoid turtle interactions.




FISHERIES SURVIVAL FUND

RIGGING OF TURTLE CHAINS


In 2003, as part of a cooperative research program 12 fishing trips were conducted by the scallop industry in which one dredge was modified with turtle chains. In 2,500 observed tows, seven turtles were caught, but none on the side with turtle chains.

The scallop industry needs to take proactive measures to avoid sea turtle takes in order to minimize restrictions on the fishery. The preliminary success of the turtle chains strongly suggests that scallop vessels fishing between May and October south of Long Island rig turtle chains on their dredges.

The photograph on the reverse side pictures a turtle chain. As shown, it is simply a modified rock chain arrangement constructed of a lighter, but stronger, chain.



Chains: Use 3/8-inch Grade 70 or Trawlex chain, long or short link. This hardened steel chain reduces wear and stretching. It is significantly lighter but has the same breaking strength of a standard 5/8-inch sweep chain.



Hanging: Up and downs are hung from the back of the cutting bar. (See drawings.) Starting at the center and working toward each shoe, "U" bolts are welded 14 inches apart. We recommend for 14-foot to 15-foot dredges, using 11 up and downs, and on 11-foot to 13-foot dredges, using 9 up and downs.

Generally, 6 ticklers are hung running along the sweep, with the first starting at the rear of the shoes. Spaced on a normal sweep arrangement, this should give about a 12 to 13-inch square pattern.

Crossing points between the up and downs can be linked or shackled.

CAUTION: Do not hang the up and downs and ticklers tight onto the sweep; if they are too loose, however, the up and downs will get under the sweep.

We do not have a recommended action that the ticklers be placed outside or inside the up and downs. Some vessels had better luck maintaining scallop catches with the ticklers on the outside.

For additional information, call Ron Smolowitz with the Fisheries Survival Fund at (508) 564-5516, or Bill DuPaul at the Virginia Institute of Marine Science at (804) 684-7163.







New Bedford-style scallop dredge rigged with turtle chain.

Take #1

OBSERVER'S NAME / ADDR First David Affiliation VIMS Address	A.I.B Last Rudders	STRANDING DATE: Year 20 Month GDey 4 Turtle number by day 70 5 State coordinator must be notified within 24 hrs;
Area code/Phone number	804 694-7531	this was done byphone (804)684-7313
SPECIES: (check one) CC = Loggerhead CM = Green DC = Leatherback EI = Hawksbill	STRANDING LOCATION: Softshore State off Churchengue Descriptive location (be specific)	e (Atlantic or Gulf beach) Inshore (bay, river, sound, inlet, etc) County
LK = Kemp's Ridley LO = Ofive Ridley UN = Unidentified	Latitude 37 51.75	Longitude
Carcass necropsied? Yes No Photos taken? Yes No Species verified by state coordinator? Yes No	CONDITION: (check one) 0 = Alive 1 = Fresh dead 2 = Moderately decomposed 3 = Severely decomposed 4 = Dried carcass 5 = Skeleton, bones only	FINAL DISPOSITION: (check) 1 = Left on beach where found; painted? Yese No(5) 2 = Buried: on beach / off beach; carcass painted before buried? Yese No 3 = Salvaged: all / part(s), what/why?
SEXy Undetermined Female Male Does tail extend beyond carapace? Yes; how far? cm / in	TAGS: Contact state coordinator before disposing of any tagged animal!!, Checked for fipper tags? V Yes Yoo Check all 4 flippers. If found, record tag number(s) / tag location / return address	4 = Pulled up on beach/dune; painted? Yes* No 6 = Alive, released 7 = Alive, taken to rehab. facility, where?
How was sex determined? Necropsy Tail length (adult only) Nuchal NOTCH	PIT tag scan? ☐ Yes ☑ No If found, record number / tag location	CARAPACE MEASUREMENTS: (see drawing) Using calipers Circle unit Straight length (NOTCH-TIP) Minimum length (NOTCH-NOTCH) Straight width (Widest Point) Cm / in
	Coded wire tag scan? Yes No If positive response, record location (flipper) Checked for living tag? Yes No If found, record location (scute number & side)	Using non-metal measuring tape Circle unit Curved length (NOTCH-TIP) 32.5 cm / in Minimum length (NOTCH-NOTCH) 32. cm (in Curved width (Widest Point) 31. cm (in) Circle unit Weight actual / est. kg / lb
Posterior Posterior NOTCH	Mark wounds / abnormalities on diagram or debris entanglement, propeller dama, note if no wounds / abnormalities are Lead in the front flygos	

CHA!	OBSERVER'S NAME / ADDR	RESS PHONE	_	STRANDING DATE: Year 20 3 Month O Day O J Turtle number by day
•	Area code/Phone number	(814) 684-7555		State coordinator must be notified within 24 hrs; this was done byohone (804)684-7313emailfax (804)684-7327Toll-free stranding hodine 1-866-493-1085
	SPECIES: (check one) CC = Loggerhead CM = Green DC = Leatherback EI = Hawksbill	STRANDING LOCATION: ffshore State	(Atlantic o	or Gulf beach) Inshore (bay, river, sound, inlet, etc)
	LK = Kemp's Ridley LO = Olive Ridley UN = Unidentified	Latitude \ \ 3718,736	Lo	ngitude 74 44 .4 3 4
	Check Unidentified if not positive. Do Not Guess.	CONDITION: (check one) 1 0 = Alive 1 = Fresh dead		DISPOSITION: (check) Left on beach where found; painted? Yes' No(5 Buried: on beach / off beach;
	Carcass necropsied? Yes No Photos taken? Yes No Species verified by state coordinator? Yes No	2 = Moderately decomposed 3 = Severely decomposed 4 = Dried carcass 5 = Skeleton, bones only	3 = 8	carcass painted before buried? Yes* No Salvaged: all / part(s), what/why?
	SEX:	TAGS: Contact state coordinator before	₩6 = A	Pulled up on beach/dune; painted? Yes* No Alive, released
		disposing of any tagged anima!!! Checked for fipper tags? Yes No Check all 4 flippers. If found, record tag number(s) / tag location / return address	8 = L	Alive, taken to rehab. facility, where?
	How was sex determined?			fed, what color?
He)	Tail length (adult only) Nuchal NoTCH	PIT tag scan? Yes No If found, record number / tag location	Using Straight	PACE MEASUREMENTS: (see drawing) calipers Circle unit tength (NOTCH-TIP) cm / in
Slell		Coded wire tag scan? Yes No If positive response, record location (flipper)	Straight Using	m length (NOTCH-NOTCH) cm / in width (Widest Point) cm / in non-metal measuring tape Circle unit length (NOTCH-TIP)
		Checked for living tag? Yes No If found, record location (scute number & side)	Minimun Curved	m length (NOTCH-NOTCH) 70 cm/ in width (Widest Point) 73 cm/ in Circle upit
	Posterior Posterior	Made was under Jahan se 1955 - 15		actual / est. 45 kg
	Marginal TIP OCTCH NOTCH	Mark wounds / abnormalities on diagram or debris entanglement, propeller damag note if no wounds / abnormalities are	e, epibiot	tand describe below (note tar or oil, gear ta, papillomas, emaciation, etc.). Please
		with and vight	t do	eranish left Nucleal
14	. *************************************			
				f*

Take #3 TURTLE STRANDING AND SALVAGE NETWORK - STRANDING REPORT OBSERVER'S NAME, ADDRESS , PHONE: STRANDING DATE: Christian M.I. I Last Year 2003 Month DPDay Affiliation Turtle number by day Address this was done by □phone (804)684-7313
□email □efax (804)684-7327
□Toll-free stranding hodine 1-866-493-1085 Area code/Phone number (804) 684-7555 STRANDING LOCATION: Offshore (Atlantic or Gulf beach) Inshore (bay, river, sound, inlet, etc.) SPECIES: (check one) CC = Loggerhead County_ Ocean CM = Green Descriptive location (be specific) DC = Leatherback El = Hawksbill LK = Kemp's Ridley 3724,682 LO = Olive Ridley Latitude 74 48.145 Longitude UN = Unidentified
Check Unidentified if not CONDITION: (check one) FINAL DISPOSITION: (check) positive. Do Not Guess. 0 = Alive 1 = Fresh 1 = Left on beach where found; painted? Yes* No(5 1 = Fresh dead Carcass necropsied Yes No Photos taken? Yes No 2 = Buried: on beach / off beach: 2 = Moderately decomposed carcass painted before buried? Yes No 3 = Severely decomposed . 3 = Salvaged: all / part(s), what/why? Species verified by state 4 = Dried carcass coordinator? Yes No 5 = Skeleton, bones only 4 Pulled up on beach/dune; painted? Yes* No 6 = Alive, released
7 = Alive, taken to rehab. facility, where? SEX: TAGS: Contact state coordinator before ■ Øndetermined disposing of any tagged mimalli Female Male Checked for flipper tags? Yes No 8 = Left floating, not recovered; painted? Yes* No Dogs tail extend beyond carapace? 8 = Left floating, not recovered; pa 9 = Disposition unknown, explain Check all 4 flippers. If found, record tag Yes No Yes; how far? 5 _cm in number(s) / tag location / return address "If painted, what color? How was sex determined? Mecropsy CARAPACE MEASUREMENTS: (see drawing) PIT tag scan? Yes No Nuchal Using calipers Circle unit f found, record number / tag location Straight Jensth (NOTCH-TIP) cm / in Minimum length (NOTCH-NOTCH) Streight width (Widest Point) cm / in cm / in coded wire tag scan? Yes No Using non-metal measuring tape Circle unit If positive response, record location (flipper) Curved length (NOTCH-TIP) cm / in Minimum length (NOTCH-NOTCH) Checked for living tag? Yes No 1095 cm/in Curved width (Widest Point) If found, record location (scute number & side) _cm/in Circle unit 200 kg (6) Weight actual / Vest. morage Bulling Mark wounds / abnormalities on diagrams at left and describe below (note tar or oil, gear or debris entanglement, propeller damage, epibiota, papillomas, emaciation, etc.). Please note if no wounds I appormalities are found

Take #4

OBSERVER'S NAME / ADDR First John Affiliation VIM Address L67 A2 Area code/Phone number	All. D Last Large Tr	STRANDING DATE: Year 20 Month DDay D Turtle number by day D State coordinator must be notified within 24 hrs; this was done by Donne (804)684-7313 mail
SP5CIES: (check one) CC = Loggerhead CM = Green DC = Leatherback EI = Hawksbill LK = Kemp's Ridley DO = Olive Ridley UN = Unidentified Check Unidentified if not positive. Do Not Guess. Carcass necropsied? Yes No Photos taken? Pres No Species verified by state	Descriptive location (be specific) Begin End	(Atlantic or Gulf beach)
SEX: Undetermined Female Male Does tail extend beyond carapace? Yes; how far? cm / in Nocropsy = Visual Notch	TAGS: Contact state coordinator before disposing of any tagged apimal!! Checked for flipper tags? Pes No Check all 4 flippers. If found, record tag number(s) / tag location / return address	4 = Pulled up on beach/dune; painted? Yes' No 6 = Alive, released 7 = Alive, taken to rehab. facility, where? Yes' No 9 = Disposition unknown, explain Yes' No 9 = Disposition unknown, explain Yes' No 9 = Disposition unknown, explain Yes' No Yes'
Posterior Marginal TIP Posterior NOTCH	or debris entanglement, propeller damage note if no wounds / appormalities are	s at left and describe below (note tar or oil, gear e, epibiota, papillomas, emaciation, etc.). Please found. i anterior parties of carapter about right eye; plasten de just posterior to right

\$2003.24 Take 5

OBSERVER'S NAME / ADDR First Affiliation U (A S Address	M.I. Last Dulaul	STRANDING DATE: Year 20 Month Day Turtle number by day			
		State coordinator must be notified within 24 hrs; this was done byiphone (0.09684-7313emailfax (0.04664-7327			
SPECIES: (check one) CC = Loggerhead CM = Green DC = Leatherback	STRANDING LOCATION: Offshor State	e (Atlantic or Gulf beach) Inshore (bay, river, sound, inlet, etc County			
EI = Hawksbill LK = Kemp's Ridley LO = Olive Ridley UN = Unidentified	Latitude	Longitude			
Check Unidentified if not positive. Do Not Guess.	CONDITION: (check one) G = Alive 1 = Fresh dead	FINAL DISPOSITION: (check) 1 = Left on beach where found; painted? Yes* No(5) 2 = Buried: on beach / off beach;			
Carcass necropsied? Yes No Photos taken? Yes No Species verified by state coordinator? Yes No	2 = Moderately decomposed 3 = Severely decomposed 4 = Dried carcass 5 = Skeleton, bones only	carcass painted before buried? Yes* No 3 = Salvaged: all / part(s), what/why?			
SEX: Undetermined Female Male Does tail extend beyond carapace?	TAGS: Contact state coordinator before disposing of any tagged animall! Checked for flipper tags? Yes No Check all 4 flippers. If found, record tag	4 = Pulled up on beach/dune; painted? Yes* No 0 = Alive, released 7 = Alive, taken to rehab. facility, where? 8 = Left floating, not recovered; painted? Yes* No 9 = Disposition unknown, explain			
Yes; how far? cm / in No How was sex determined? Necropsy Tail length (Blutt only)	number(s) / tag location / return address	*# painted, what color? CARAPACE MEASUREMENTS: (see drawing)			
Nuchal NOTCH	PIT tag scan? Yes No If found, record number / tag location	Using calipers Circle unit Straight length (NOTCH-TIP) cm / in Minimum length (NOTCH-NOTCH) cm / in Straight width (Widest Point) cm / in Using non-metal measuring tape Circle unit Curved length (NOTCH-TIP) cm / in Minimum length (NOTCH-NOTCH) cm / in Curved width (Widest Point) cm / in			
	Coded wire tag scan? Yes No If positive response, record location (flipper) Checked for living tag? Yes No				
	If found, record location (scute number & side)	Curved width (Widest Point) cm / in Circle unit Weight actual / est kg / lb			
Posterior Posterior NOTCH	or debris entanglement, propeller dama note if no wounds / abnormalities are				
	turke fell on dece	and injured head			

Take 6

OBSERVER'S NAME / ADDR First	I.ILast	STRANDING DATE: Year 20 Month Day Turtle number by day State coordinator must be notified within 24 hrs;
Area code/Phone number		this was done by _phone (804)684-7313emailfax (804)684-7327Toll-free stranding hodine 1-866-493-1085
SPECIES: (check one) CC = Loggerhead CM = Green DC = Leatherback EI = Hawksbill LK = Kemp's Ridley UN = Unidentified Check Unidentified if not positive. Do Not Guess. Carcass necropsied? Yes No Photos taken? Yes No Species verified by state coordinator? Yes No	State	(Atlantic or Gulf beach)
SEX: Undetermined Female Male Does tail extend beyond carapace? Yes; how far? cm / in No How was sex determined?	TAGS: Contact state coordinator before disposing of any tagged animal!! Checked for flipper tags? Yes No Check all 4 flippers. If found, record tag number(s) / tag location / return address	4 = Pulled up on beach/dune; painted? Yes* No 6 = Alive, released 7 = Alive, taken to rehab. facility, where? 8 = Left floating, not recovered; painted? Yes* No 9 = Disposition unknown, explain *If painted, what color?
Necropsy Tail length (adult only) Nuchal NOTCH	PIT tag scan? Yes No If found, record number / tag location Coded wire tag scan? Yes No If positive response, record location (flipper) Checked for living tag? Yes No If found, record location (scute number & side)	CARAPACE MEASUREMENTS: (see drawing) Using calipers Circle unit Straight length (NOTCH-TIP) cm / in Minimum length (NOTCH-NOTCH) cm / in Straight width (Widest Point) cm / in Using non-metal measuring tape Circle unit Curved length (NOTCH-TIP) cm / in Minimum length (NOTCH-NOTCH) cm / in Curved width (Widest Point) cm / in Circle unit Weight actual / est kg / lb
Posterior Marginal TIP NOTCH		ns at left and describe below (note tar or oil, gear ge, epibiota, papillomas, emaciation, etc.). Please found.